



Soils Map



Soils data provided by USDA and NRCS.

©2025 AgriData, Inc.



State: **Wisconsin**
 County: **Green**
 Location: **21-4N-9E**
 Township: **Brooklyn**
 Acres: **209.17**
 Date: **2/12/2025**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Area Symbol: WI045, Soil Area Version: 25

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Corn silage Tons	Kentucky bluegrass AUM	Soybeans Tons	Soybeans Bu	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans
MIB2	Meridian loam, 2 to 6 percent slopes, moderately eroded	29.03	13.6%		Ile	4	100	16			33		58	58	46
Md	Matherton silt loam	18.36	8.8%		Ilw	4.1	115	19			38		59	59	51
Hu	Houghton mucky peat, 0 to 2 percent slopes	17.52	8.4%		Illw								10	10	3
Se	Sebewa silt loam, 0 to 2 percent slopes	16.68	8.0%		Ilw								67	67	31
1180C2	Newglarus-Dunbarton silt loams, 6 to 12 percent slopes, moderately eroded	16.60	7.9%		Ille								52	52	45

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Corn silage Tons	Kentucky bluegrass AUM	Soybeans Tons	Soybeans Bu	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans
1180D2	Newglarus-Dunbarton silt loams, 12 to 20 percent slopes, moderately eroded	16.28	7.8%		IVe								48	48	40
MIC2	Meridian loam, 6 to 12 percent slopes, moderately eroded	15.25	7.3%		IIle	3.6	90	15			30		57	57	44
628A	Orion silt loam, 0 to 3 percent slopes, occasionally flooded	13.85	6.6%		IIlw								89	79	89
OkC2	Ockley silt loam, 6 to 12 percent slopes, moderately eroded	7.27	3.5%		IIle	4.6	115	19			38		72	72	59
1130F	Lacrescent-Dunbarton complex, very stony, 30 to 60 percent slopes	6.54	3.1%		VIIIs								12	12	5
Mb	Marshan loam, rarely flooded	6.03	2.9%		IIlw		110	18			36		26	22	26
RoE2	Rodman gravelly loam, 12 to 30 percent slopes, moderately eroded	5.76	2.8%		VIIIs								22	22	16
SfA	Shiffer loam, 0 to 3 percent slopes, rarely flooded	5.68	2.7%		IIlw	3.7	105	17			35		62	62	53
627B	Chaseburg silt loam, moderately well drained, 2 to 6 percent slopes	4.52	2.2%		IIlw								83	81	83
FoB2	Fox loam, 2 to 6 percent slopes, moderately eroded	4.24	2.0%		Ile	4.1	105	17			35		59	55	51

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Corn silage Tons	Kentucky bluegrass AUM	Soybeans Tons	Soybeans Bu	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans
FoC2	Fox loam, 6 to 12 percent slopes, eroded	4.08	2.0%		IIle	4	101	16	3		33	40	53	53	50
FoA	Fox loam, 0 to 2 percent slopes	3.30	1.6%		IIs								62	60	58
BoD	Boone fine sand, 2 to 20 percent slopes	3.26	1.6%		VIIs	1.6							21	17	16
OeB	Ockley loam, 2 to 6 percent slopes	2.98	1.4%		Ile	5	125	20			41		73	73	61
1180B2	Newglarus-Dunbarton silt loams, 2 to 6 percent slopes, moderately eroded	2.89	1.4%		Ile								53	53	46
FnD2	Fox sandy loam, 12 to 20 percent slopes, moderately eroded	2.62	1.3%		IVe	3.1	80	12			27		51	50	42
WIB2	Whalan silt loam, 2 to 6 percent slopes, moderately eroded	2.46	1.2%		Ile	4	100	16			33		64	64	56
1616A	Chaseburg and Arenzville silt loams, 0 to 2 percent slopes	1.96	0.9%		IIw								87	83	84
Pa	Palms muck, 0 to 2 percent slopes	1.62	0.8%		IIIw		124.4	20		46			33	12	6
Wa	Wallkill silt loam, frequently flooded	0.39	0.2%		IIw		110	18			36		46	42	46
Weighted Average					2.84	1.8	49.8	8.1	0.1	0.4	16.1	0.8	*n 52.9	*n 51.7	*n 42.8

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method